

# CARSO - LABORATOIRE SANTÉ ENVIRONNEMENT HYGIÈNE DE LYON

Laboratoire Agréé pour les analyses d'eaux par le Ministère de la Santé

## ATTESTATION DE CONFORMITE SANITAIRE

Conformément à l'arrêté du 29 mai 1997 modifié et à la circulaire du Ministère de la santé

DGS/SD7A 2002 n°571 du 25 novembre 2002

**Coordonnées du demandeur des essais :**

**COMAP Industries SA**  
**16, avenue Paul Santy**  
**B.P. 8211**  
**69008 LYON**

**Nom de l'accessoire représentatif : Raccord Laiton brut Tectite Classic T26 15x10x15mm**

**N° de dossier attribué par le laboratoire habilité : 09 ACC LY 359**

**Date de réalisation des essais d'inertie, le cas échéant : /**

**Commentaires : Les raccords sont assemblés à l'aide de composants conformes à la réglementation.**

**Aucun essai de migration n'est nécessaire à l'obtention de cette ACS.**

**Famille d'accessoires couverte par l'ACS : Raccords TECTITE CLASSIC de références :**

**Voir Annexe (3 pages)**

**Commentaires : les raccords sont en laiton brut.**

**Attestation délivrée par : Christelle AUTUGELLE**

**Signature :**

**Responsable Laboratoire MCDE**

**CARSO - L.S.E.H.L.**

**A la date du 30 Septembre 2009**

**Date d'expiration de l'ACS : 30 Septembre 2014**

**F-MC060-a-22.01.2003-CAu**

SAS au capital de 2 283 622 Euros - RCS Lyon B 410 545 313 - SIRET 410 545 313 00018 - APE 743 B - N° TVA : FR 82 410 545 313

Siège Social : 321, avenue Jean Jaurès - F-69362 LYON cedex 07 - Tél : (33) 04 72 76 16 16 - Fax : (33) 04 78 72 12 11

# CARSO - LABORATOIRE SANTÉ ENVIRONNEMENT HYGIÈNE DE LYON

Laboratoire Agréé pour les analyses d'eaux par le Ministère de la Santé

## ANNEXE à l'ACS 09 ACC LY 359

### Raccords TECTITE CLASSIC couverts par l'ACS 09 ACC LY 359

Référence	Taille	Type
T1	10mm	Straight Coupling
T1	12mm	Straight Coupling
T1	15mm	Straight Coupling
T1	22mm	Straight Coupling
T1	28mm	Straight Coupling
T1R	10mm	Reduced Coupling
T1R	15*10mm	Reduced Coupling
T1R	15*12mm	Reduced Coupling
T1R	22*10mm	Reduced Coupling
T1R	22*15mm	Reduced Coupling
T1R	28*22mm	Reduced Coupling
T2	12mm*3/8"	Staight Female connector
T2	12mm*1/2"	Staight Female connector
T2	15mm*1/2"	Staight Female connector
T2	22mm*3/4"	Staight Female connector
T2	22mm*1"	Staight Female connector
T2	28mm*1"	Staight Female connector
T15	15mm*1/2"	Backplate Elbow
T15	22mm*3/4"	Backplate Elbow
T21	12mm	Obtuse Elbow
T21	15mm	Obtuse Elbow
T21	22mm	Obtuse Elbow
T21	28mm	Obtuse Elbow
T21S	12mm	Obtuse Street Elbow
T21S	15mm	Obtuse Street Elbow
T21S	22mm	Obtuse Street Elbow
T21S	28mm	Obtuse Street Elbow
T24	10mm	Equal Tee
T24	12mm	Equal Tee
T24	15mm	Equal Tee
T24	22mm	Equal Tee
T24	28mm	Equal Tee
T3	12mm*3/8"	Straight Male Connector
T3	12mm*1/2"	Straight Male Connector
T3	15mm*1/2"	Straight Male Connector
T3	22mm*3/4"	Straight Male Connector
T3	22mm*1"	Straight Male Connector
T3	28mm*1"	Straight Male Connector

# CARSO - LABORATOIRE SANTÉ ENVIRONNEMENT HYGIÈNE DE LYON

Laboratoire Agréé pour les analyses d'eaux par le Ministère de la Santé

Référence	Taille	Type
T3P	15mm*1/2"	Straight Male Connector
T3P	22mm*1/2"	Straight Male Connector
T3P	22mm*3/4"	Straight Male Connector
T3P	22mm*1"	Straight Male Connector
T3P	28mm*1"	Straight Male Connector
T5	15mm*1/2"	Tank Connector
T5	22mm*3/4"	Tank Connector
T5	28mm*1"	Tank Connector
T25	15*15*10mm	Tee, Reduced Branch
T25	22*22*10mm	Tee, Reduced Branch
T25	22*22*15mm	Tee, Reduced Branch
T25	28*28*15mm	Tee, Reduced Branch
T25	28*28*22mm	Tee, Reduced Branch
T26	15*10*15mm	Tee, One End Reduced
T26	22*15*22mm	Tee, One End Reduced
T26	28*15*28mm	Tee, One End Reduced
T26	28*22*28mm	Tee, One End Reduced
T27	15*10*10mm	Tee, One End & Branch Reduced
T27	22*15*15mm	Tee, One End & Branch Reduced
T27	28*22*22mm	Tee, One End & Branch Reduced
T30	15*15mm*1/2"	Female Branch Tee
T30	22*22mm*1/2"	Female Branch Tee
T30	22*22mm*3/4"	Female Branch Tee
T6	15*10mm	Reducer
T6	22*15mm	Reducer
T6	28*15mm	Reducer
T6	28*22mm	Reducer
T12	10mm	Elbow
T12	12mm	Elbow
T12	15mm	Elbow
T12	22mm	Elbow
T12	28mm	Elbow
T12S	10mm	Street elbow
T12S	10*15mm	Street elbow
T12S	15mm	Street elbow
T12S	22mm	Street elbow
T12S	28mm	Street elbow
T61	10mm	Stop End
T61	12mm	Stop End
T61	15mm	Stop End
T61	22mm	Stop End
T61	28mm	Stop End
T61RV	10mm	Air Release Stop End

# CARSO - LABORATOIRE SANTÉ ENVIRONNEMENT HYGIÈNE DE LYON

Laboratoire Agréé pour les analyses d'eaux par le Ministère de la Santé

Référence	Taille	Type
T61RV	12mm	Air Release Stop End
T61RV	15mm	Air Release Stop End
T61RV	22mm	Air Release Stop End
T61RV	28mm	Air Release Stop End
T62	10mm*1/2"	Tap Connector
T62	15mm*1/2"	Tap Connector
T62	15mm*3/4"	Tap Connector
T62	22mm*3/4"	Tap Connector
T12SNP	10mm	Street Elbow
T12SNP	10*15mm	Street Elbow
T12SNP	15mm	Street Elbow
T13	12mm*3/8"	Male Elbow
T13	12mm*1/2"	Male Elbow
T13	15mm*1/2"	Male Elbow
T13	22mm*3/4"	Male Elbow
T13	28mm*1"	Male Elbow
T14	12mm*3/8"	Female Elbow
T14	12mm*1/2"	Female Elbow
T14	15mm*1/2"	Female Elbow
T14	22mm*3/4"	Female Elbow
T14	28mm*1"	Female Elbow
T62S	15mm*1/2"	Tap Connector
T62S	15mm*3/4"	Tap Connector
T62S	22mm*3/4"	Tap Connector
T63	10mm*1/2"	Bent Tap Connector
T63	15mm*1/2"	Bent Tap Connector
T63	15mm*3/4"	Bent Tap Connector
T63	22mm*3/4"	Bent Tap Connector
T68FF	15mm*3/4"	Union Adaptor
TX68S	22MM*13	Cylinder Union
TM80	22*22*10mm	Manifold
TM81	22*22*10mm	Manifold

Christelle AUTUGELLE  
Responsable Laboratoire MCDE

Signature :

A la date du : 30 Septembre 2009



# CARSO - LABORATOIRE SANTÉ ENVIRONNEMENT HYGIÈNE DE LYON

Laboratoire Agréé pour les analyses d'eaux par le Ministère de la Santé

## ATTESTATION DE CONFORMITE SANITAIRE

Conformément à l'arrêté du 29 mai 1997 modifié et à la circulaire du Ministère de la santé

DGS/SD7A 2002 n°571 du 25 novembre 2002

**Coordonnées du demandeur des essais :**

**COMAP Industries SA**  
**16, avenue Paul Santy**  
**B.P. 8211**  
**69008 LYON**

**Nom de l'accessoire représentatif : Raccord Cuivre Tectite Sprint TT1 10mm**

**N° de dossier attribué par le laboratoire habilité : 09 ACC LY 274**

**Date de réalisation des essais d'inertie, le cas échéant : /**

**Commentaires : Les raccords sont assemblés à l'aide de composants conformes à la réglementation.**

**Aucun essai de migration n'est nécessaire à l'obtention de cette ACS.**

**Famille d'accessoires couverte par l'ACS : Raccords TECTITE SPRINT de références :**

**Voir Annexe (1 page)**

**Commentaires : /**

**Attestation délivrée par :** Christèle AUTUGELLE  
**Répondable Laboratoire MCDE**  
**CARSO - L.S.E.H.D.**

**Signature :**

**A la date du :** 14 Septembre 2009

**Date d'expiration de l'ACS :** 14 Septembre 2014

**F-MC060-a-22.01.2003 CAU**

SAS au capital de 2 283 622 Euros - RCS Lyon B 410 545 319 - SIRET 410 545 313 00018 - APE 743 B - N° TVA : FR 82 410 545 313

Siège Social : 321, avenue Jean Jaurès - F-69362 LYON cedex 07 - Tél : (33) 04 72 76 16 16 - Fax : (33) 04 78 72 12 11

## ANNEXE à l'ACS 09 ACC LY 274


### Raccords TECTITE SPRINT couverts par l'ACS 09 ACC LY 274

TT1/TT270 10mm Coupling
TT1/TT270 12mm Coupling
TT1/TT270 14mm Coupling
TT1/TT270 16mm Coupling
TT1/TT270 18mm Coupling
TT1/TT270 22mm Coupling
TT1R/TT240 14x12mm Red Coupling
TT1R/TT240 15x12mm Red Coupling
TT1R/TT240 16x12mm Red Coupling
TT1R/TT240 16x14mm Red Coupling
TT1R/TT240 18x15mm Red Coupling
TT1R/TT240 18x16mm Red Coupling
TT1R/TT240 22x16mm Red Coupling
TT1R/TT240 22x18mm Red Coupling
TT2/TT270G 10x1/2" Female Coupling
TT2/TT270G 12x1/2" Female Coupling
TT2/TT270G 14x3/8" Female Coupling
TT2/TT270G 14x1/2" Female Coupling
TT2/TT270G 16x1/2" Female Coupling
TT2/TT270G 18x1/2" Female Coupling
TT2/TT270G 28x1" Female Coupling
TT3/TT243G 10x3/8" Male Coupling
TT3/TT243G 10x1/2" Male Coupling
TT3/TT243G 12x3/8" Male Coupling
TT3/TT243G 12x1/2" Male Coupling
TT3/TT243G 14x3/8" Male Coupling
TT3/TT243G 14x1/2" Male Coupling
TT3/TT243G 16x1/2" Male Coupling
TT3/TT243G 18x3/4" Male Coupling
TT3/TT243G 22x3/4" Male Coupling
TT6/TT243 15x12mm Reducer
TT6/TT243 18x15mm Reducer
TT6/TT243 22x14mm Reducer
TT12/TT090 10mm Elbow
TT12/TT090 12mm Elbow
TT12/TT090 14mm Elbow
TT12/TT090 16mm Elbow
TT12/TT090 18mm Elbow
TT12/TT090 22mm Elbow
TT12S/TT092 12mm Street Elbow
TT12S/TT092 14mm Street Elbow
TT12S/TT092 16mm Street Elbow
TT12S/TT092 18mm Street Elbow
TT14/TT090G 14 x 1/2" Female Elbow
TT14/TT090G 16 x 1/2" Female Elbow
TT15/TT471G 12 x 1/2" Backplate Elbow
TT15/TT471G 14 x 1/2" Backplate Elbow
TT21/TT041 12mm Obtuse Elbow
TT21/TT041 14mm Obtuse Elbow
TT21/TT041 16mm Obtuse Elbow
TT21/TT041 18mm Obtuse Elbow

TT21S/TT040 12mm Obtuse Street Elb
TT21S/TT040 14mm Obtuse Street Elb
TT21S/TT040 16mm Obtuse Street Elb
TT21S/TT040 18mm Obtuse Street Elb
TT24/TT130 10mm Equal Tee
TT24/TT130 12mm Equal Tee
TT24/TT130 14mm Equal Tee
TT24/TT130 16mm Equal Tee
TT24/TT130 18mm Equal Tee
TT24/TT130 22mm Equal Tee
TT25 14x14x12/TT130 14x12x14mm Tee
TT25 15x15x12/TT130 15x12x15mm Tee
TT25 16x16x12/TT130 16x12x16mm Tee
TT25 16x16x14/TT130 16x14x16mm Tee
TT25 18x18x12/TT130 18x12x18mm Tee
TT25 18x18x14/TT130 18x14x18mm Tee
TT25 18x18x15/TT130 18x15x18mm Tee
TT25 22x22x14/TT130 22x14x22mm Tee
TT25 22x22x16/TT130 22x16x22mm Tee
TT25 22x22x18/TT130 22x18x22mm Tee
TT25 28x28x18/TT130 28x18x28mm Tee
TT26 15x15x12/TT130 15x12x15mm Tee
TT26 18x18x12/TT130 18x12x18mm Tee
TT26 18x15x18/TT130 18x18x15mm Tee
TT26 22x18x22/TT130 22x22x18mm Tee
TT27 16x14x14/TT130 16x14x14mm Tee
TT27 22x18x18/TT130 22x18x18mm Tee
TT27 28x18x18/TT130 28x18x18mm Tee
TT61/TT301 10mm Stop End
TT61/TT301 12mm Stop End
TT61/TT301 14mm Stop End
TT61/TT301 16mm Stop End
TT61/TT301 18mm Stop End
TT62/TT062 12mmx3/8" Str Tap Conn
TT62/TT062 12mmx1/2" Str Tap Conn
TT62/TT062 14mmx3/8" Str Tap Conn
TT62/TT062 14mmx1/2" Str Tap Conn
TT62/TT062 16mmx1/2" Str Tap Conn
TT62/TT062 16mmx3/4" Str Tap Conn
TT62/TT062 18mmx1/2" Str Tap Conn
TT62/TT062 18mmx3/4" Str Tap Conn
TT62/TT062 22mmx3/4" Str Tap Conn
TT63/TT063 12mmx1/2" Bent Tap
TT63/TT063 18mmx1/2" Bent Tap
TT21s/TT041 15mm Obtuse Elbow
TT21s/TT040 15mm Obtuse Street
TT21/TT041 22mm Obtuse Elbow
TT21s/TT040 22mm Obtuse Street
TT21/TT041 28mm Obtuse Elbow
TT21s/TT040 28mm Obtuse Street

Christelle AUTUGELLE  
Responsable Laboratoire MCDE

Signature :



A la date du : 14 Septembre 2009